

LES GRAISSES : COMPATIBILITE DES SAVONS

	Aluminium complexe	Baryum	Calcium	Calcium 12-hydroxy	Calcium complexe	Bentone	Lithium	Lithium 12 -hydroxy	Lithium complexe	Polyurée
Aluminium complexe		I	I	C	I	I	I	I	C	I
Baryum			I	C	I	I	I	I	I	I
Calcium				C	I	C	C	P	C	I
Calcium 12-hydroxy					P	C	C	C	C	I
Calcium complexe						I	I	I	C	C
Bentone							I	I	I	I
Lithium								C	C	I
Lithium 12 -hydroxy									C	I
Lithium complexe										I
Polyurée										

C = compatible
P= peu compatible
I = incompatible